
Tomas Pevny, MD



Repair of Detached Labrum




This content is for informational purposes only. It is not intended to represent actual surgical technique or results. The information is not intended to be a substitute for professional medical advice, diagnosis, treatment or care. Always seek the advice of a medical professional when you have a medical condition. Do not disregard professional medical advice or delay in seeking advice if you have read something in this printout. Copyright © 2013, Understand.com, LLC, All Rights Reserved.

Tomas Pevny, MD

ORTHOPEDIC SPECIALIST





Repair of Detached Labrum Introduction

The shoulder is a complex multi-directional ball-and-socket joint which allows movement in many directions.

Doctor's Personal Note: A Message From Dr. Pevny

Thank you for visiting my website and viewing the 3D Animation Library. These animations should assist you in better understanding your condition or procedure. I look forward to answering any additional questions you may have. Please make an appointment by calling (970) 544-1289.



Shoulder Instability

Shoulder instability and dislocation occur when the shoulder capsule is stretched or torn, and/or when the labrum is detached from the glenoid.



Incisions


Small incisions (portals) are made around the joint. The scope and surgical instruments will go into these incisions.

This content is for informational purposes only. It is not intended to represent actual surgical technique or results. The information is not intended to be a substitute for professional medical advice, diagnosis, treatment or care. Always seek the advice of a medical professional when you have a medical condition. Do not disregard professional medical advice or delay in seeking advice if you have read something in this printout. Copyright © 2013, Understand.com, LLC, All Rights Reserved.

Tomas Pevny, MD


ORTHOPEDIC SPECIALIST





Visualization

The scope is inserted into the back of the shoulder joint. Saline solution flows through a tube (cannula) and into the shoulder capsule to expand the joint and to improve visualization. The image is sent to a video monitor where the surgeon can see inside the joint.



Repair

A surgical instrument is inserted into the joint. It will be used to reattach the labrum to the glenoid using suture and anchor-like devices.



End of Procedure

After the labrum is reattached, the surgical instruments are removed and the procedure is completed.

This content is for informational purposes only. It is not intended to represent actual surgical technique or results. The information is not intended to be a substitute for professional medical advice, diagnosis, treatment or care. Always seek the advice of a medical professional when you have a medical condition. Do not disregard professional medical advice or delay in seeking advice if you have read something in this printout. Copyright © 2013, Understand.com, LLC, All Rights Reserved.